

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Patrick H. Mackey
ATSUTERU OIKAWA ET AL.	)	
	:	Group Art Unit: 3651
Appl. No.: 10/784,954	)	
	:	Confirmation No.: 8444
Filed: February 25, 2004	)	
	:	
For: SHEET DISCHARGING APPARATUS,	)	
AND SHEET TREATING APPARATUS AND	:	
IMAGE FORMING APPARATUS USING	)	
THE SHEET DISCHARGING APPARATUS	:	
	)	
U.S. Patent No.: 7,080,835 B2	:	
	)	
Issued: July 25, 2006	:	March 5, 2007

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

The \$100.00 fee for the Certificate of Correction is being paid electronically. The Commissioner is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Lawrence A. Stahl/

---

Lawrence A. Stahl  
Attorney for Patentees  
Registration No. 30,110

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

WMW:eyw

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,080,835 B2

DATED : July 25, 2006

INVENTOR(S) : ATSUTERU OIKAWA ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 15, "time" should read --period--.

Line 16, "period." should read --time.--.

Line 28, "sheet" should read --sheets--.

COLUMN 5:

Line 52, "information" should read --pieces of information--.

COLUMN 9:

Line 12, "Resultantly," should read --As a result,--.

COLUMN 10:

Line 35, "discharge" should read --discharges--.

Line 36, "unit;" should read --unit,--.

Line 44, "units;" should read --unit,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,080,835 B2

No. of add'l. copies  
@ 30¢ per page